GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – M.A. & U.D. Department - Allegations of misappropriation of funds and unauthorized sub-letting and other irregularities in execution of sewerage works in Division Nos.5 and 8 of Hyderabad Metro Water Supply & Sewerage Board, Hyderabad under JNNURM – Disciplinary Proceedings instituted against Sri C. Vijay Kumar the then General Manager (E), PD-V, HMWSSB and presently working as Superintending Engineer, Kakinada Municipal Corporation, Kakinada, East Godavari District - Appointment of Sri.T.Anjaneyulu, Chief Engineer, APCRDA as an Inquiring Authority - Orders – Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.I) DEPARTMENT

G.O.RT.No. 638 **Dated: 04-07-2018**

Read the following:-

1. G.O.Rt.No.1608, M.A. & U.D. (E2) Dept., dated 05.11.2013.
2. From Sri C. Vijay Kumar, the then General Manager (E), PD-V, HMWSSB and now presently working as Superintending Engineer, Kakinada Municipal Corporation, Kakinada, East Godavari District, written statement of defence dt:05.12.2013

* * *

O R D E R:

Whereas, an inquiry under Rule-20 of A.P. Civil Services (CC&A) Rules, 1991 is being held against Sri C. Vijay Kumar the then General Manager (E), PD-V, HMWSSB and presently working as Superintending Engineer, Kakinada Municipal Corporation, Kakinada, East Godavari District on the allegations of misappropriation of funds and unauthorized sub-letting and other irregularities in execution of sewerage works in Division Nos.5 and 8 of Hyderabad Metro Water Supply & Sewerage Board, Hyderabad under JNNURM.

2. Whereas, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against above said officers.

3. Now therefore, in exercise of the powers conferred by sub-rule (2) of Rule-20 of A.P. Civil Services (CCA) Rules 1991, the disciplinary authority hereby appoints Sri.T.Anjaneyulu, Chief Engineer, APCRDA as an Inquiring Authority to inquire into the charges framed against the above said official.

4. The Inquiring Authority shall submit his report within three months.

(PTO)

5. A copy of Articles of charges, written statement of defence of the charged officer is enclosed herewith. The Engineer-in-Chief, Public Health, A.P., Guntur shall provide the any other required connected records / material, as requested by the Inquiring Authority.

6. The receipt of G.O., shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

R.KARIKAL VALAVEN
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri.T.Anjaneyulu, Chief Engineer, & Inquiring Authority, APCRDA **through** the ENC (PH), AP, Guntur (we)
Sri.P.Satyanarayana, Superintending Engineer & Presenting Officer, Guntur Municipal Corporation **through** the ENC (PH), AP, Guntur
Sri C. Vijay Kumar Superintending Engineer, Kakinada Municipal Corporation, Kakinada, East Godavari District **through** the ENC (PH), AP, Guntur
The Engineer-in-Chief, Public Health, A.P., Guntur.

Copy to:

The M.A. & U.D. (Vig.II) Dept, Govt. of Telangana, 'D' Block, Telangana Secretariat, Hyderabad.
The Director General, GA(V&E) Dept., A.P., Vijayawada (with reference to Vigilance Report No.62 (206/V&E/E1/2013, dated 05.06.2013).
The Director General, Anti Corruption Bureau, Govt. of Telangana, Road No.12, Banjara Hills, Hyderabad.
The Commissioner, Kakinada Municipal Corporation, EG District.
The Secretary to A.P. Vigilance Commission, 5th Block, AP Secretariat.
SF/SCs.

// FORWARDED :: BY ORDER //

SECTION OFFICER